

## Occupational Exposures to Physical and Chemical Hazards: Implications for Worker Health and Safety

Oluwaseun Ibuife Oluwaniyi, and Oluwaranti A. Omowami

Received: 22 January 2026/Accepted: 3 March 2026 /Published: 20 April 2026

<https://dx.doi.org/10.4314/cps.v13i4.4>

*Abstract: The industrial landscape of 2026 is characterized by a rapid convergence of green energy production, high-tech robotics and nanotechnology, which is a complex environment of mixed exposures that traditional safety standards are failing to keep up with. The paper has identified a regulatory lag that is critical because it is seen that the existing structures remain anchored on the stagnant, mechanical hazards of the past decade rather than autonomous systems and molecular-scale toxins of the present century. Specifically, the paper discusses the appearance of forever chemicals (PFAS), engineered nanoparticles, and unpredictable kinetic dangers of AI-controlled cobots. The paper introduces the Integrated Risk Assessment Model (IRAM) by synthesizing the Hierarchy of Controls and the Social-Ecological Model (SEM). This new paradigm combines real-time biometric tracking, predictive AI modelling and edge computing to shift to a more proactive, Zero-Harm architecture, as opposed to a reactive compliance approach. The paper concludes that in order to safeguard the 2026 workforce, there is a need to eliminate silos in safety management and introduce exposure limits that are synergistic in nature that take into consideration the interdependent nature of the physical and chemical stressors of the current day.*

**Keywords:** Biometric Monitoring, Forever Chemicals (PFAS), Green Energy, Manufacturing, Hierarchy of Controls, Human-Robot Collaboration (Cobots), Integrated Risk Assessment Model (IRAM)

**Oluwaseun Ibuife Oluwaniyi**

Department of Occupational Risk and Safety

Sciences, University of Central Missouri,  
United States

**Email:** [seunibuife.oluwaniyi@gmail.com](mailto:seunibuife.oluwaniyi@gmail.com)

<http://orcid.org/0009-0008-1960-8442>

**Oluwaranti A. Omowami**

Department of Occupational Risk and Safety  
Sciences, University of Central Missouri,  
United States

**Email:** [atinukeomowami@gmail.com](mailto:atinukeomowami@gmail.com)

### 1.0 Introduction

The contemporary industrial environment is characterized by the rapid convergence of green energy production, advanced robotics, and molecular-scale engineering technologies. These developments have fundamentally altered occupational exposure profiles by introducing simultaneous physical, chemical, and technological hazards within a single operational environment.

Guseva Canu (2023) has expressed the view that with the shift to carbon neutrality in the global economies, the introduction of large-scale lithium-ion and solid-state battery production has created complex chemical environments that have never existed in traditional manufacturing. Nevertheless, Sabet (2025) indicated that this shift is not only ecological but also technological, as artificial intelligence-driven robotics increasingly operate alongside human workers, while nanotechnology has become widely integrated into material science applications.

On the other hand, as these developments are expected to bring unprecedented efficiency and sustainability, they have also brought an elaborated set of high-tech work-related risks

that will require the redefinition of the old-fashioned safety standards (Ekechi, 2025).

Collectively, these studies highlight the emergence of technologically complex workplaces; however, they largely examine individual hazards in isolation rather than addressing their combined occupational health implications.

Despite these technological advances, a significant disparity exists between contemporary industrial practices and the regulatory frameworks designed to govern occupational safety.

Singh (2022) confirmed that the existing safety rules were mainly written based on the mechanical and static hazards in the last ten years; however, it is now being transferred to dynamic and autonomous systems and new chemical particulates. Uche & Azoro-Amadi (2024) suggested that this inability to align can cause a major regulatory lag in which any novel risks, which could pose harm, such as unpredictable robots or the chronic toxicity of manufactured nanomaterials, are not addressed. Quite to the contrary, as stated by Ogunkan (2022), the presumption that wiser technology automatically results in safer working environment makes the sophistication of these new systems frequently conceal latent risk so that employees become exposed to hazards which the current compliance regulations do not measure. This mismatch suggests that existing occupational safety paradigms may underestimate emerging risks arising from the interaction between autonomous systems and advanced chemical materials.

Unlike the traditional methods of safety audit, which are based on the past historical data and linear forecasts of risk, the contemporary industrial environment calls on a multi-dimensional proactive approach to the management of hazards (Dako *et al.*, 2021).

Lack of integration of real-time sensor information with the toxicological forecasting has led to the piecemeal comprehension of workplace safety. John (2019), on the other hand, implied that most organizations still use siloed evaluation tools that consider physical and chemical risks as independent variables. The interdependence of modern manufacturing processes implies that a single system failure, such as the malfunction of a robotic cooling unit or leakage within a nanotechnology laboratory, may trigger cascading socio-technical risks requiring integrated analytical assessment (Haelterman, 2022). Such fragmented assessment approaches limit the ability to predict cascading failures in modern industrial systems where physical and chemical hazards interact dynamically.

Accordingly, this study aims to address these limitations through the development of an Integrated Risk Assessment Model (IRAM) tailored to emerging industrial environments. The model aims to bring together real-time biometric monitoring, robotics behavior analysis, and advanced chemical modeling into one and harmonized safety architecture. Furthermore, the study evaluates the feasibility of the proposed model using simulated high-risk industrial scenarios.

The proposed framework contributes to occupational health research by integrating physical and chemical hazard assessment within a unified predictive system. The practical guidance for policymakers and industry stakeholders seeking to modernize safety regulations in rapidly evolving technological environments (Gamba *et al.*, 2025).

After all, it does not aim at suggesting any abstract revision of the safety standards but offering a viable, scalable template that would allow human safety to stay at the center of the



technological revolution being made, but not a subordinate concern to industrial production.

### 1.1 Theoretical Framework

The theoretical foundation of the present research is the Hierarchy of Controls, which is a system of controls that is well-structured and aimed at reducing or eliminating the exposure to hazards in the workplace.

The theoretical foundation of this study is the Hierarchy of Controls, a structured occupational safety framework designed to reduce or eliminate workplace hazard exposure.

Morris & Cannady (2019) describe this framework as prioritizing intervention strategies according to effectiveness, placing elimination and substitution at the highest level and administrative controls and Personal Protective Equipment (PPE) at the lowest level. However, Asogwa *et al.* (2022) argue that the conventional application of this hierarchy faces significant challenges in emerging industrial environments characterized by nanotechnology and autonomous robotics, where hazard elimination is not always technically feasible.

Unlike traditional manufacturing environments where physical barriers effectively separate workers from hazards, contemporary risks are often microscopic or algorithmic, requiring more adaptive strategies for hazard isolation (Achumie *et al.*, 2022).

(Achumie, *et al.*, 2022).

To address these complexities, this study integrates the Social-Ecological Model (SEM), which conceptualizes worker safety as the outcome of interacting influences ranging from individual behavior to institutional and societal policies. Bello (2024) posits that while the Hierarchy of Controls emphasizes technical and engineering interventions, the SEM highlights the influence of organizational culture and regulatory climate on safety outcomes. Critics of purely technical safety

systems argue that neglecting human factors—including psychological stress associated with high-speed AI collaboration—can undermine even the most effective engineering controls (Harper, 2022; Ndlovu, 2025).

(Harper, 2022; Ndlovu, 2025). However, through the synthesis of the SEM and the Hierarchy of Controls, the present paper provides a holistic basis which explains both the mechanical reliability of the equipment used and the systemic pressures of the 2026 labor market. The integration of these frameworks enables simultaneous evaluation of technological reliability and socio-organizational dynamics influencing occupational risk.

Some scholars argue that traditional safety models remain insufficiently flexible to capture emergent risks within highly integrated green-energy systems where chemical and physical hazards interact dynamically (Phillip, 2022).

Quite the contrary, Jaffe *et al.* (2019) assume that the Hierarchy of Controls is still the gold standard of industrial hygiene, even as long as it is supported with real-time data analytics. However, Uddin (2026) added that to transform theory into practice, it is important to acknowledge that the worker environment ceases to be a physical space but a socio-technical system that will undergo dynamism. Finally, according to Bello and Kabara (2025), dual-framework approach provides that the offered Integrated Risk Assessment Model (IRAM) will be both theoretically based and sufficiently adaptable to any technological changes that emerge in the middle of 2020s. Consequently, the dual-framework approach ensures that the proposed Integrated Risk Assessment Model (IRAM) is both theoretically grounded and adaptable to rapid technological evolution characteristic of mid-21st-century industries.

### 1.2 Physical Hazards




Farhangi (2026) identified high-density energy storage and transmission systems as dominant physical risk sources in contemporary green-energy manufacturing environments.

The employees are being exposed more to high-voltage direct current (HVDC) systems as well as huge thermal energy releases that are linked to solid-state battery manufacturing. Wang & Zhao (2025) further demonstrated that modern systems involve complex electrochemical–thermal feedback

mechanisms capable of triggering rapid-onset industrial fires.

Unlike the hazards of the traditional combustion type, the energy-related hazards tend to be silent and odorless, and thus, they could be hard to notice without sophisticated sensor arrays. Consequently, risk management strategies emphasize mitigation and control rather than complete hazard elimination.



**Fig. 1: Hierarchy of controls [Infographic]. Centers for Disease Control and Prevention (National Institute for Occupational Safety and Health, 2015).**

Advanced robotics and collaborative robots (cobots) have introduced new forms of kinetic energy hazards within shared human–machine workspaces (Taesi *et al.*, 2023). (Taesi, *et al.*, 2023). With the increasing speed and torque of autonomous systems that are operating in shared human-machine workspaces, the threat of high-impact collisions has changed from a mechanical failure, to a complex algorithmic unpredictability. Okafor & Longe (2022) argue that automation reduces human exposure to hazardous tasks; however, algorithm-driven unpredictability introduces novel categories of physical risk. Quite the contrary, the incorporation of AI-controlled equipment forms a black box of physical danger in which the subsequent movement of the machine might not be visually indicated to the operator. Kumar & Rana (2026) demonstrated that the

Hierarchy of Controls remains applicable when engineering safeguards include redundant hardware-based emergency systems independent of AI decision processes.

Modern industrial environments also expose workers to sub-perceptual stressors such as ultrasonic acoustic emissions and electromagnetic interference generated by wireless power systems (Gnerre, 2026). Unlike the apparent crush or burn risks that were present in the 20th-century factories, these contemporary stressors are accumulative and mostly unseen. However, Gillblad (2020) stated that they pose a considerable risk to the health of workers in the long term and systemic stability. Alternatively, wearable haptic feedback suits could be used to alert the workers about the presence of invisible energy fields in real-time, but due to the high cost and maintenance of the more advanced PPE, it can



introduce an equity gap in safety between smaller manufacturing companies (Blašková, *et al.*, 2022). Finally, Rodrigues & Veloso (2025) introduced the fact that the division of physical hazards indicated a transition to a micro-scale and energetic volatility of macro-scale mechanical danger.

### 1.3 Chemical Hazards & Emerging Toxins

The transition toward a green economy has increased industrial reliance on Per- and Polyfluoroalkyl Substances (PFAS), widely used in high-performance battery and semiconductor manufacturing (Green *et al.*,

2023). Nevertheless, these substances offer unmatched thermal stability and chemical resistance, but their extreme environmental persistence is a distinct bio-accumulative hazard to the 2026 workforce. Cohen (2023) reported that PFAS exhibit extreme persistence in biological systems due to their resistance to metabolic degradation and environmental breakdown. However, Groendijk (2024) opined that the industrial need of these materials is at an all-time high; instead of the phase-out being rapid as it was predicted in the early 2020s, the complexity of 2026 green-tech has made them more essential than ever.

**Table 1 Classification and Health Implications of Modern Physical Hazards in Emerging Technological and Environmental Contexts**

Hazard Type	Source/Context	Potential Health Impact
<b>Ionizing Radiation</b>	Next-gen nuclear & medical tech	Cellular damage, carcinogenesis
<b>Extreme Thermals</b>	Climate-impacted outdoor labor	Heat stroke, cardiovascular strain
<b>Acoustic Energy</b>	High-frequency automation machinery	Tinnitus, cognitive fatigue
<b>Non-Ionizing</b>	6G infrastructure & wireless power	Thermal tissue effects

**Safety and health topics: Emerging physical hazards in the workplace (Occupational Safety and Health Administration, 2026).**

The emergence of nanotechnology has introduced a new frontier of chemical risk in which particle size and surface reactivity significantly influence toxicity. As Zhang *et al.* (2021) confirmed, engineered nanoparticles, including carbon nanotubes and quantum dots, have the property of permeating the blood-brain barrier and translocating at the molecular level across the skin. Existing Material Safety Data Sheets (MSDS) often fail to distinguish between bulk materials and their nanoscale counterparts, leading to an underestimation of occupational risks.

However, Guan & Tang (2024) reviewed that the 2026 regulatory framework is starting to

adopt the standards of particle toxicology. Unlike macro-scale chemical spills that are relatively easy to contain, nano-aerosols may spend days suspended in factory air, where conventional HEPA filtration cannot capture them, requiring the next-generation respiratory protection (Verma, *et al.*, 2025).

Moreover, these "forever chemicals in combination with nanomaterials form a synergistic toxicity that occupational health experts are yet to understand (Elemuwa, *et al.*, 2025). On one hand, automated chemical handling has minimized direct contact with raw liquids by workers; on the other hand, the high-heat conditions of 2026 production tend to



cause the release of poisonous vapors, which were previously thought to be safe. Bergner (2025), on the other hand, believed that the notion that a clean room is a safe room, the closed-up nature of these high-tech spaces could actually produce emerging toxins to toxic levels. Finally, according to Gates (2025), the chemical hazard profile of 2026 will require a transition to predictive toxicogenomic instead of the reactive type of monitoring to safeguard workers against the unknown, long-term impacts of contemporary material science. Understanding exposure pathways is essential for linking hazard presence to biological impact within the proposed conceptual safety model.

## 2.0 Exposure Pathway

It is important to the conceptual model to understand how these chemicals get into the body:

### 2.1 Inhalation: The Nanoscale Frontier

Inhalation represents the most critical exposure route in advanced manufacturing environments, particularly within additive manufacturing and nanomaterial processing industries (Rampedi *et al.*, 2024). Ingestion exposure in modern workplaces rarely results from intentional consumption but rather from cross-contamination within integrated human-robot operational environments (Di Gennaro, 2026).

These ultra-fine particulates have the kinetic energy to circumvent the respiratory system cilia and enter deep into the alveolar sacs, unlike the traditional industrial dust. Nonetheless, Bruschi (2025) noted that the risk is not only mechanical, but the high surface-volume ratio of these particles enables them to transport adsorbed toxins directly into the bloodstream. Unlike legacy particulate matter, which can eventually be cleared by the lungs via expectoration, these 2026 nanomaterials are usually bio-persistent, causing chronic

inflammatory reactions that the current diagnostic tools might be unable to detect in their initial stages (Oyewole, *et al.*, 2026).

On the other hand, with the prevalence of automated "dry-processing" in green energy laboratories, the chances of accidental aerosolization of dry chemical precursors have also risen. Conversely, Okur (2022) affirmed the fact that most facilities use the legacy ventilation systems that are set to handle vapors at the macro-scale, as opposed to aerosols at the molecular scale. However, these risks can be reduced by the addition of real-time air quality sensors and AI-based filtration, but these systems tend to experience sensor drift in hot areas (Thakur *et al.*, 2025). Contrary to the belief that a typical N95 mask can be used to protect against the infection, nanoparticles of the 2026 types should be filtered with the help of special nanofibers (Lin, 2023). Finally, the inhalation pathway is one of the critical failure points in the conceptual model when respiratory protection fails to develop in line with the materials being processed.

### 2.2 Dermal Absorption: Solvent Paradox.

Qazi (2022) was displeased that dermal absorption has become a major issue because of the emergence of the so-called next-generation industrial solvents aimed at cleaning the most advanced electronics and robotics with the highest degree of precision. These solvents are highly permeable to get to microscopic crevices; however, the same feature enables them to penetrate the human lipid bilayer with high permeability efficiency (Mohan, *et al.*, 2025). These newer solvents are frequently odorless and non-irritating when first exposed to the skin, unlike older, more pungent chemicals, which give a sensory alert of contact with the skin. Conversely, Abuelella (2026) wrote that this absence of direct physical feedback may cause so-called silent systemic toxicity when the chemicals pass through the dermis and enter the lymphatic system without any notice.



However, the industry would tend to rely on these high-permeability agents because of their high performance in preserving the integrity of the delicate nanotechnology of 2026 (WHO, 2024). On the other hand, the traditional nitrile gloves can be a deceptive assurance, with most of the 2026 solvents being able to reach a molecular breakthrough in minutes. Quite the contrary to the assumption that skin is an impermeable barrier, the synergistic action of haptic-feedback wearable technology can actually make skin temperature and pore expansion higher, and the absorption rates even faster (Oguta & Ihua-Maduenyi, 2025). Nevertheless, by adding the conceptual model of smart fabrics, the materials that change color in response to chemical contact, researchers can offer the visual signals that the workers require to avoid dermal exposure in the long run.

#### **Consumption: The Cross-Contamination Gap.**

According to Di Gennaro (2026), the ingestion in the 2026 workspace is seldom the outcome of direct consumption but the consequence of the sophisticated cross-contamination in the shared, high-tech spaces. Due to the overlapping of the robots and humans in the same areas, microscopic quantities of the forever chemicals (PFAS) and heavy metal catalysts are readily moved off the machine to common surfaces (Nagi and Hassanein, 2026). Unlike in the 20th century, where dirty and clean areas were clearly defined in factories, the 2026 manufacturing is often integrated, so the lines between dirty and clean areas are often blurred. Nonetheless, Gorman Ng *et al.* (2019) suggested that the main danger is the hand-to-mouth transfer, when the sub-visual particles on touchscreens or shared interfaces are accidentally ingested during breaks or shift changes.

Conversely, the excessive recalcitrance of 2026 chemical coatings implies that conventional sanitization procedures might not be able to eliminate the molecular-level films. However,

a significant portion of organizations emphasize their safety training nearly entirely on the inhalation route, and the ingestion route is often not included in the risk profile of organizations (Boyes & van Thriel, 2020). Contrary to the assumption that automation will eliminate the human factor, the human-in-the-loop aspect of the 2026 robotics makes sure that the workers are always in contact with the potentially contaminated hardware. On the other hand, Malone & Shakya (2024) hypothesized that a strong conceptual framework should consider ingestion as a cumulative risk factor, especially since ingested nanomaterials have the potential to change the gut microbiome and produce systemic metabolic disturbance. Finally, strict hygiene guidelines should be incorporated into the mechanical process to seal this disregarded gap in the safety of workers (Lebelo *et al.*, 2021).

#### **2.0 Proposed Integrated Safety Model**

The Proposed Integrated Safety Model (ISM) shown in Fig. 2, represents a departure from conventional linear risk assessment approaches by introducing a synergistic framework in which physical and chemical hazards are treated as interdependent variables.

This model aligns with socio-technical risk theory by recognizing that modern industrial hazards emerge from interactions between technological systems, human operators, and environmental conditions.


The Proposed Integrated Safety Model (ISM) represents a departure from conventional linear risk-assessment approaches by introducing a Synergistic Risk Framework, in which physical and chemical hazards are treated as interdependent rather than isolated variables. In the industrial landscape of 2026, the phenomenon of mixed exposure has emerged as a primary driver of occupational morbidity, whereby one hazard amplifies the effects of another in an exponential manner. Unlike legacy safety models that evaluate noise, heat, and toxicity independently, the ISM employs a





low-level exposure to multiple stressors. The graph demonstrates a leftward shift in the sensitivity curve, indicating increased biological response at lower exposure thresholds due to synergistic interactions among chemical and physical hazards. This

shift highlights the limitations of conventional single-exposure models and reinforces the need for integrated risk assessment approaches (Fig. 3).



**Fig. 3: Statistical determination of synergy based on Bliss definition of drugs independence (Demidenko & Miller, 2019)**

### 3.0 Implications for Health and Safety

The application of Synergistic Risk Model in 2026 has significant consequences on the structural, technological, and ethical basis of occupational health (Oluwamakinde, *et al.*, 2026). With the industrial environment moving towards high-density energy and nanotechnology, the silos of safety management that were previously present in the industry will have to be broken down to allow a more integrated reality.

#### 3.1 Policy: Redesigning Regulatory Frameworks.

Germolus, *et al.* (2025) discusses that the existing regulatory frameworks that exist today and are upheld by agencies like OSHA and NIOSH are in urgent need of radical revision to overcome the regulatory lag of the mid-2020s. Unlike the stagnant Permissible Exposure Limits (PELs) of the past, which considered chemicals individually, new regulations are required to be based on so-called Synergistic Exposure Limits, which consider the interaction of heat, vibration, and chemical

toxicity with each other. Nonetheless, Page (2019) added that the problem is that a massive amount of new materials is released into the market every year. Quite the contrary, a precautionary Principle needs to be embraced by regulators where manufacturers of nanomaterials in the 2026 era are required to submit full toxicological profiles which cover cross-hazard interactions before they can be used on a wide scale basis.

However, industrial sectors that fear to pay more to comply with these dynamic standards will resist the transition to these standards (Houlroyd and Warren, 2025). Conversely, the long-term cost of chronic occupational diseases related to the use of forever chemicals is much greater than the cost of the initial investment in new safety equipment. In contrast, Johnson, *et al.* (2024) referenced that policy updates should be effective, which means that NIOSH should be in the forefront to develop a so-called National Integrated Hazard Database to utilize real-time industry data to recognize the new clusters of synergistic injuries. Finally, policy should move towards being a post-incident



auditor to a data-driven, proactive architect of workplace health.

### 3.2 *Technology: The Quantification of the Worker*

The technological basis of the 2026 safety environment is characterized by the spread of wearable sensors that can monitor physiological aspects in real-time (Erdogdu, 2026). Such devices as haptic-feedback vests or epidermal biosensors can be used to continuously monitor core body temperature, heart rate variability, and localized chemical concentrations. Unlike the old-fashioned spot-checking, where handheld monitors record the surroundings of a worker, wearables offer a longitudinal perspective of the surroundings of the worker in a more granular manner (Katti, *et al.*, 2026). However, the real worth of this technology is that it can send an instant alert; Tang (2026) stated that a suit worn by a worker could vibrate to indicate that the ambient heat has risen to a certain level that their existing chemical respirator is not 100 percent effective anymore.

Nonetheless, the use of high-tech monitoring also presents a novel group of physical hazards, including electromagnetic interference or malfunction of the devices in high-energy production areas (Otoko, 2025). Contrary to the notion that the more technology the safer, a bad integration of wearables may become a distractor or physical obstacle in robotic workstations. Conversely, in case such sensors are connected to the Digital Twin of the facility, they enable the safety officers to see the so-called hot zones of synergistic risk in real-time and intervene immediately. Finally, according to Adebowale, O. J. (2025), the purpose of technology in 2026 is to provide the linkage between the human sensory constraints and the invisibility and high-speed dangers of the contemporary factory.

### 3.3 *Ethics: Privacy-Protection Paradox.*

Ekechi (2025) affirmed that the introduction of real-time health monitoring introduces an

unavoidable ethical dilemma of the line between the privacy of workers and workplace safety. The Synergistic Risk Model must have access to sensitive biometric information that was previously viewed as an extremely confidential matter (Gates, 2025). Unlike in the previous times when the employer was merely interested in the time when the worker clocks in, the 2026 employer can know the level of hydration, the stress levels, and even the genetic inclinations of the worker to some toxins. On the other hand, as noted by John (2019), although this information is employed to save lives, it promotes an atmosphere of a surveillance state that may cause anxiety at work or even deselect workers based on biological weaknesses.

However, this data can only be ethically managed to ensure the continuity of the Social License to Operate of 2026 industries. Conversely, when health information is employed to discriminate against workers, e.g., punishing them due to high stress rates, the relationship of trust between employers and employees will disappear, and the use of safety sensors will be refused (Schwarcz, 2021). Quite to the contrary, ethical frameworks should demand the presence of Data Anonymization and Right to Disconnect protocols in which biometric data is encrypted and accessed only under the conditions of safety triggers, but not performance reviews (Ogundipe, 2023). Finally, the 2026 safety model should aim at safeguarding the physical body of the worker without interfering with his or her digital dignity or autonomy.

### 4.0 **Conclusion**

The fast industrial revolution of 2026, which is marked by the integration of nanotechnology, advanced robotics, and the production of green energy, has made the old-fashioned and linear safety standards outdated. The data provided in this paper helps to emphasize that the contemporary occupational hazards are no longer an isolated phenomenon; the fact is that



they are a complicated network of synergistic risks whereby the physical stressor and chemical toxin enhance each other in terms of their lethality. Unlike the responsive tombstone-like rules of the last century, which could sometimes take a tragedy to initiate a change in policy, the present age needs an active and holistic safety architecture. However, this transition will not be made merely by hardware upgrades; it will require a radical re-engineering of the HACCP of Controls in order to focus on the prevention of sub-perceptual, molecular-level violations before they turn into chronic systemic diseases. On the other hand, the effectiveness of such a proactive strategy will depend on the ethical and technological combination of real-time biometric surveillance and predictive AI modeling. Although the shift to a Quantified Worker model poses some serious privacy issues, the other option is the further adherence to a so-called regulatory lag that exposes the workforce to the unseen effects of the existence of so-called forever chemicals and robotic malfunctions. Conversely, through the adoption of the Synergistic Risk Model, the industries could make safety not a static compliance expense, but a dynamic life-saving resource. Finally, when we are at the edge of more nanotechnology advances, the decision is simple: we either need to adjust our safety paradigms to keep up with our pace of innovation, or we need to come to terms with the fact that the human cost of progress will continue to be an uncompensated liability. However, a Zero-Harm 2026 industrial environment can be an attainable and realizable objective with the correct policy solutions and ethical protection.

## 5.0 References

- Abuelella, K. E. (2026). Permeation enhancers as the bridge between pharmaceutical and cosmeceutical innovation: Mechanisms, safety, and future perspectives. *Nanotechnology and Applied Sciences Journal*, 2, 1, pp. 21–36.
- Achumie, G. O., Oyegbade, I. K., Igwe, A. N., Ofodile, O. C., & Azubuikwe, C. (2022). A conceptual model for reducing occupational exposure risks in high-risk manufacturing and petrochemical industries through industrial hygiene practices. *International Journal of Social Science Exceptional Research*, 1, 1, pp. 26-37. oi:[10.54660/IJSSER.2022.1.1.26-37](https://doi.org/10.54660/IJSSER.2022.1.1.26-37)
- Adebowale, O. J. (2025). Battery module balancing in commercial EVs: Strategies for performance and longevity. *International Journal of Engineering Technology Research Management*, 9, 4, pp. 162.
- Adepoju, A. S. (2025). Adaptive program management strategies for AI-based cyber defense deployments in critical infrastructure and enterprise digital transformation initiatives. *International Journal of Research Publication and Review*, 6, pp. 5599–5615.
- Ahmadi, O., Amini, M. M., & Zarei, E. (2024). System safety causal analysis models considering risk influence factors (RIFs). In *Safety causation analysis in sociotechnical systems: Advanced models and techniques* (pp. 317–362). Springer Nature Switzerland.
- Asah-Kissiedu, M. (2019). *Development of an integrated safety, health and environmental management capability maturity model for Ghanaian construction companies* (Doctoral dissertation).
- Asogwa, E. O., Asogwa, E. U., & Blavo, J. (2022). Management of hazards and prevention of accidents and injuries in building construction using the hierarchy of controls. *International Journal of Progressive Sciences & Technology*, 13, 1, pp. 585-594.
- Bakare, M. S., Abdulkarim, A., Shuaibu, A. N., & Muhamad, M. M. (2024). Energy management controllers: Strategies, coordination, and applications. *Energy Informatics*, 7, 1, pp. 57.



- Bello, K., & Kabara, A. S. (2025). Impact of related party transactions and off-balance sheet items on earnings management of listed deposit money banks in Nigeria. *Kebbi Journal of Accounting Research*, 1, 2.
- Bello, M. V. (2024). *Importance of social support during pregnancy for girls with limited education* (Doctoral dissertation, Walden University).
- Berger, M. (2025). *Waste not! How nanotechnologies can increase efficiencies throughout society*. Royal Society of Chemistry, <https://doi.org/10.1039/9781837677290>
- Blašková, M., Dlouhý, D., & Blaško, R. (2022). Values, competences and sustainability in public security and IT higher education. *Sustainability*, 14, 19, pp. 12434.
- Boyes, W. K., & van Thriel, C. (2020). Neurotoxicology of nanomaterials. *Chemical Research in Toxicology*, 33, 5, pp. 1121–1144.
- Bruschi, M. L. (2025). *Strategies to modify the drug release from pharmaceutical systems*. Woodhead Publishing.
- Cohen, S. (2023). *Environmentally sustainable growth: A pragmatic approach*. Columbia University Press.
- Dako, O. F., Onalaja, T. A., Nwachukwu, P. S., Ajoke, F., & Bankole, T. L. (2021). Predictive risk-based auditing utilizing data models to proactively identify organizational vulnerabilities and mitigate losses. *Journal of Risk Management*, 15, 3, pp. 45–67.
- Di Gennaro, G. (2026). Occupational exposure to antineoplastic drugs and formaldehyde in healthcare settings: Sensitive biomarkers to assess health risks.
- Ehimen, C. (2024). *Improving medicines availability in the pharmaceutical supply chain in Nigeria* (Doctoral dissertation, University of Warwick).
- Ekechi, A. T. (2025). Conceptual framework for sustainable chemical engineering practices in emerging energy economies.
- Elemuwa, C. O., Ariyo, A. B., & Temitope, B. (2025). *The silent poison: National strategies to protect health and ecosystems from toxic threats*. doi:[10.22541/au.175562297.78702237/v1](https://doi.org/10.22541/au.175562297.78702237/v1)
- Erdogdu, E. (2026). The carbon border adjustment mechanism: Opportunities and challenges for non-EU countries. *Wiley Interdisciplinary Reviews: Energy and Environment*, 14, 1, e70000, <https://doi.org/10.1002/wene.70000>
- Eze, V. H. U. (2025). Innovations in thermal energy systems, bridging traditional and emerging technologies for sustainable energy solutions. *Frontiers in Thermal Engineering*, 5, 1654815. <https://doi.org/10.3389/ftther.2025.1654815>
- Farhangi, P. (2026). *Live core: Field-confined high-energy storage and phase-steered coupling system*. SSRN.
- Gamba, K., Chase, S., Guidinger, K., & Saine, C. (2025). Empowered healing: Unpacking trauma from within. *International Journal of Research and Innovation in Social Science*, 9, 6. <https://dx.doi.org/10.47772/IJRISS.2025.90600070>
- Gates, K. A. (2025). *Designing photocatalytic nanomaterial for capturing and degrading PFAS* (Doctoral dissertation, Jackson State University).
- Germolus, N. P., Kim, S. N., Kim, J., & Park, C. G. (2025). Safety assessment of commercial sanitary pads: Cytotoxicity, volatile organic compounds, and microplastics release. *Journal of Hazardous Materials*, 497, 5, <https://doi.org/10.1016/j.jhazmat.2025.139702>
- Gillblad, T. (2020). *Complexity in industrial automation systems*. Lund University.
- Gnerre, M. (2026). *Beyond the black box: Vocal biomarkers for monitoring stress in pilot-ATC communication*.



- Gorman Ng, M., Davis, A., van Tongeren, M., Cowie, H., & Semple, S. (2016). Inadvertent ingestion exposure: Hand- and object-to-mouth behavior among workers. *Journal of Exposure Science & Environmental Epidemiology*, 26, 1, pp. 9–16.
- Green, C., Bilyanska, A., Bradley, M., Dinsdale, J., Hutt, L., Backhaus, T., & Lynch, I. (2023). A horizon scan to support chemical pollution-related policymaking for sustainable and climate-resilient economies. *Environmental Toxicology and Chemistry*, 42, 6, pp. 1212–1228.
- Groendijk, J. (2024). *Analyzing the barriers of transitioning to PFAS-free alternatives in the food packaging industry*. Delft University of Technology.
- Guan, S., & Tang, M. (2024). Exposure of quantum dots in the nervous system: Central nervous system risks and the blood–brain barrier interface. *Journal of Applied Toxicology*, 44, 7, pp. 936–952.
- Guseva Canu, I. (2023). Chemical hazards at work and occupational diseases using job-exposure matrices. In *Handbook of life course occupational health* (pp. 195–211). Springer.
- Haelterman, H. (2022). Breaking silos of legal and regulatory risks to outperform traditional compliance approaches. *European Journal on Criminal Policy and Research*, 28, 1, pp. 19–36.
- Harper, M. G. R. (2022). *Introducing the social-ecological model of cyberbullying and uncovering post-secondary students' perceptions of cyberbullying through interviews with young adults* (Doctoral dissertation, The University of Western Ontario).
- Houlroyd, J., & Warren, H. (2025). Navigating the chemical multiverse: An industrial hygienist's insight on uncertainty, exposure, and the precautionary principle. *ACS Chemical Health & Safety*, 33, 2, pp. 158–170. <https://doi.org/10.1021/acs.chas.5c00149>
- Iloabanafo, C. A., & Oluwakemi, A. K. H. (2024). Comparative analysis of pharmacy practice regulations: Lessons from Nigeria and the United States. *BioMedPha*, 1, 1, pp. 22–33.
- Ituen, N. G., Samuel, A. C., Stephen, B. U. A., Edet, D. T., Umerah, K. U., Idaresit, E. U., & Esu, M. P. (2025). Smart thermoelectric air-conditioning with energy management and dual HVAC mode. *Current Research in Interdisciplinary Studies*, 4, 6, pp. 25–35.
- Jaffe, A. M., Busby, J., Blackburn, J., Copeland, C., Law, S., Ogden, J. M., & Griffin, P. A. (2019). *Impact of climate risk on the energy system*. Council on Foreign Relations. Amy Myers Jaffe, Joshua Busby, Jim Blackburn, Christina Copeland,
- John, B. I. (2019). Risk-aware project delivery strategies leveraging predictive analytics and scenario modelling to mitigate disruptions and ensure stable manufacturing performance. *International Journal of Science and Engineering Applications*, 8, 12, pp. 535–546.
- Johnson, O. B., Olamijuwon, J., Weldegeorgise, Y. W., & Soji, O. (2024). Designing a comprehensive cloud migration framework for high-revenue financial services: A case study on efficiency and cost management. *Open Access Research Journal of Science and Technology*, 12, 2, pp. 58–69.
- Katti, J., Kathole, A., & Le, D. N. (Eds.). (2026). *Bioengineering and IoT: Shaping the future of healthcare*. CRC Press.
- Kumar, M., & Rana, E. D. S. (2026). Robotic automation integration in smart manufacturing performance benefits, quality assurance enhancement, and system-level challenges. *Journal of Advance and Future Research*, 4, 2, pp. 967–1004.
- Lebelo, K., Malebo, N., Mochane, M. J., & Masinde, M. (2021). Chemical contamination pathways and the food safety implications along the various stages of food production: A review. *International Journal*



- of Environmental Research and Public Health*, 18, 11, pp. 5795.
- Lin, E. S. (2023). *Liquid marbles: Study of their mechanics and applications* (Doctoral dissertation, Monash University).
- Malone, M., & Shakya, K. M. (2024). Trace metal contamination in community garden soils across the United States. *Sustainability*, 16, 5, pp. 1831.
- Mohan, N., Nair, R. P. A. N., & Narayanasamy, D. (2025). Nanoparticle-integrated transdermal patches: A platform for next-generation drug delivery. *Drug Development Research*, 86, 7, e70164.
- Morris, G. A., & Cannady, R. (2019). Proper use of the hierarchy of controls. *Professional Safety*, 64, 8, pp. 37–40.
- Nagi, G. E., & Hassanein, A. (2026). Risk management and safety auditing in anaerobic digestion: Driving operational excellence. In *Anaerobic digestion for bioenergy* (pp. 393–420). Woodhead Publishing.
- Ndlovu, J. (2025). Church-led social capital and public-health approaches to youth violence in urban Zimbabwe: Perspectives from church leaders. *Social Sciences*, 14, 10, <https://doi.org/10.3390/socsci14100602>
- Ogundipe, R. O. (2023). *Dimensions of employment discrimination in the organised private sector of Oyo State, Nigeria* (Doctoral dissertation).
- Ogunkan, D. V. (2022). Achieving sustainable environmental governance in Nigeria: A review for policy consideration. *Urban Governance*, 2, 1, pp. 212–220.
- Okafor, K. C., & Longe, O. M. (2022). Smart deployment of IoT-TelosB service care StreamRobot using software-defined reliability optimisation design. *Heliyon*, 8, 6 <https://doi.org/10.1016/j.heliyon.2022.e09634>
- Okur, A. C. (2022). *Drops: Controlled crystallization of organic crystals and their use as matrix materials for encapsulation of volatiles* (Doctoral dissertation, EPFL).
- Oluwamakinde, E. P., Akpofure, O. D., Adeniran, S. O., & Fagbenro, O. S. (2026). Integrating advanced molecular biotechnology tools into toxicological research infrastructure for sustainable development in Nigeria. *Discover Toxicology*, 3, 1, <https://doi.org/10.1007/s44339-026-00048-y>
- Otoko, J. (2025). Microelectronics cleanroom design: Precision fabrication for semiconductor innovation, AI, and national security in the US tech sector. *International Research Journal of Modern Engineering Technology and Science*, 7, 2, doi [10.56726/IRJMETS67512](https://doi.org/10.56726/IRJMETS67512)
- Oyewole, O. A., Amole, O. F., Majin, E. N., & Maddela, N. R. (2026). Antimicrobial nanomaterials in food packaging and preservation. *RSC Advances*, 16, 15, pp. 13728–13748.
- Page, N. P. (2019). Occupational toxicology. In *Basic environmental toxicology* (pp. 457–476). CRC Press.
- Phillip, R. A. (2022). *Exploring leadership dimensions in the green energy transition* (Doctoral dissertation, University of Charleston-Beckley).
- Qazi, U. Y. (2022). Future of hydrogen as an alternative fuel for next-generation industrial applications: Challenges and expected opportunities. *Energies*, 15, 13, pp. 4741.
- Rampedi, P. N., Ogunrombi, M. O., & Adeleke, O. A. (2024). Leading paediatric infectious diseases—current trends, gaps, and future prospects in oral pharmacotherapeutic interventions. *Pharmaceutics*, 16, 6, pp. 712.
- Rodrigues, E. M., & Veloso, A. (2025). Industry 4.0: Knowledge management with artificial intelligence. In *Human resource management in a disrupted world* (pp. 47–87). Springer Nature Switzerland.
- Sabet, M. (2025). From self-assembly to sustainability: Advanced polymerization techniques for energy, healthcare, and



- robotics. *Polymer-Plastics Technology and Materials*, 64, 6, pp. 763–793.
- Schwarcz, D. (2021). Health-based proxy discrimination, artificial intelligence, and big data. *Houston Journal of Health Law & Policy*, 21, pp. 95.
- Singh, H. (2022), (November). The importance of cybersecurity frameworks and constant audits for identifying gaps, meeting regulatory and compliance standards. In *Meeting regulatory and compliance standards* (November 10, 2022).
- Taesi, C., Aggogeri, F., & Pellegrini, N. (2023). COBOT applications—recent advances and challenges. *Robotics*, 12, 3, 79, <https://doi.org/10.3390/robotics12030079>
- Tang, C. (2026). *AI-driven wearable sensing systems for human well-being* (Doctoral dissertation).
- Thakur, D., Bareen, M. A., Gupta, A., Saha, S., & Sahu, J. K. (2025). Frontiers in 3D printing for biobased food packaging. *Food Science and Biotechnology*, 34, 11, pp. 2381–2401.
- Uche, L. O., & Azoro-Amadi, O. (2024). Aligning Nigeria's international obligations: A comprehensive analysis of environmental protection within the industrial law and policy framework. *South African Yearbook of International Law*, 49, <https://doi.org/10.25159/2521-2583/15159>
- Uddin, A. E. (2026). *The regulation of Islamic financial institutions (IFIs) and ethical oversight in South Asia: An Islamic law perspective*. Springer Nature.
- Verma, O., Bisht, D., & Prakash, D. (2025). Carbon dots: Blood–brain barrier penetrating drug nanocarrier in the treatment of Alzheimer's disease. In *Nanomedicine in the treatment and management of Alzheimer's disease* (pp. 168–183). CRC Press.
- Wang, J., & Zhao, Y. (2025). Large-scale hydrogen storage-transportation equipment safety and accident chain interruption keys for petrochemical industry. *Energy Materials*, 5, 10. doi:[10.20517/energymater.2025.27](https://doi.org/10.20517/energymater.2025.27)
- World Health Organization. (2024). *Quality assurance of pharmaceuticals: A compendium of guidelines and related materials (Vol. 1)*. World Health Organization.
- Zhang, W., Sigdel, G., Mintz, K. J., Seven, E. S., Zhou, Y., Wang, C., & Leblanc, R. M. (2021). Carbon dots: A future blood–brain barrier penetrating nanomedicine and drug nanocarrier. *International Journal of Nanomedicine*, pp. 5003–5016.

**Declaration****Consent for publication**

Not Applicable

**Availability of data and materials**

The publisher has the right to make the data public

**Conflict of Interest**

The authors declared no conflict of interest

**Ethical Considerations**

Not applicable

**Competing interest**

The authors report no conflict or competing interest

**Funding**

The author declared no source of funding

**Authors' Contributions**

Oluwaseun Ibuife Oluwaniyi conceptualized the study, developed the Integrated Risk Assessment Model (IRAM), conducted literature synthesis, and drafted the manuscript. Oluwaranti A. Omowami contributed to data interpretation, critical revisions, and refinement of theoretical frameworks. Both authors collaboratively designed the study, reviewed the final manuscript, and approved the submitted version for publication.

